

HydroSol Gloss Silver 119SGM

Product Data



Issue: 01/06

- Product type:** Polyester film for solvent inkjet printing
- Appearance:** Metallic mirror finish
- Surface finish:** Gloss printable coating one side, antistatic reverse

Physical characteristics:

	Typical Value	Test method
Total Thickness μ	119	Electronic micrometer
Total Weight (gsm)	163	Internal method

Compatibility:

All UVC and silkscreen printers

All 'Ecosol' printers, all Roland printers, Mimaki JV3, Seiko Colorpainter.

'Hard' printers require testing for specific inks.

Please make your own assessment though, as solvent inks can vary widely. This is more dependent on ink manufacturer and type than it is on printing machine.

Applications and characteristics

- High gloss mirror finish
- Maximum impact for point of sale and other advertising
- The first water resistant digital solution for mirror graphics
- Antistatic reverse

Availability:

Rolls to 50" / 1270mm

Recommended conditions for use: 10°C - 30°C, 30% - 70% RH

for storage: 5°C - 30°C, 20% - 70% RH

Material Handling, and Shelf Life: 24 Months

NOTICE The information provided herein is correct to the best of our knowledge. No liability for any errors, facts or opinions is accepted. You must satisfy yourself as to the suitability of this product for your application. No responsibility for any loss as a result of any person placing reliance on any material contained herein can be accepted.

Copyright Sensitisers Group 2006

Kernow Coatings Limited +44(0)1326 373147 e-mail: kc@sensitisers.com