

Premium Quality Tracing Paper P112CDT



Product Data

Product type: Translucent Inkjet Paper

Appearance: Translucent

Surface finish: Uncoated

Physical characteristics:

		Typical Value	Test method
Total Thickness μ			Electronic micrometer
Total Weight (gsm)			Internal method
CIE Coordinates	L*		DCI Spectraflash (D65 10° UV incl.)
	a*		
	b*		

Compatibility:

CAD APPLICATIONS

HP ** eg. 600, 700, 650c, 750c

Calcomp ** eg. Techjet

Other ** eg. Tektronix Phaser 600, Mutoh Falcon CAD

*** = Excellent ** = Good * = Fair

Applications and characteristics

- High translucency
- Excellent ink handling
- Heavier grammage for extra body

Recommended conditions for use: 17°C - 23°C, 45% - 65% RH

for storage: 17°C - 23°C, 45% - 65% RH

Material Handling, and Shelf Life: 18 Months

NOTICE The information provided herein is correct to the best of our knowledge. No liability for any errors, facts or opinions is accepted. You must satisfy yourself as to the suitability of this product for your application. No responsibility for any loss as a result of any person placing reliance on any material contained herein can be accepted.

Copyright Sensitisers Group 2005

Kernow Coatings Limited +44(0)1326 373147 e-mail: kc@sensitisers.com