

Instant Drying Photo Glossy Paper P140CPDG



Product Data

Product type: Instantly drying photo quality inkjet paper

Appearance: White

Surface finish: Gloss inkjet coating

Physical characteristics:

		Typical Value	Test method
Total Thickness μ		185	Electronic micrometer
Total Weight (gsm)		140	Internal method
Opacity		> 90%	Internal method
CIE Coordinates	L*	95	DCI Spectraflash (D65 10° UV incl.)
	a*	3.2	
	b*	-11	

Compatibility:

	Desktop	
	Dye Inks	Pigment Inks
HP	***	X
EPSON	***	*
CANON	***	X

*** = Excellent * = Good =Fair

Applications and characteristics

- Unique Instant Drying properties and excellent stiffness for the weight.
- The high gloss finish is more suited to dye based inks. Pigment inks (such as Epson Durabrite and Ultrachrome) will image but pigment particles may not penetrate the coating causing images to smudge when rubbed.
- Digital photo reproduction and enlargements, presentations, graphic design

Recommended conditions for use: 5°C - 40°C, 30% - 70% RH

for storage: 5°C - 40°C, 20% - 70% RH

Material Handling, and Shelf Life: 24 Months

NOTICE The information provided herein is correct to the best of our knowledge. No liability for any errors, facts or opinions is accepted. You must satisfy yourself as to the suitability of this product for your application. No responsibility for any loss as a result of any person placing reliance on any material contained herein can be accepted.

Copyright Sensitisers Group 2005

Kernow Coatings Limited +44(0)1326 373147 e-mail: kc@sensitisers.com